

## pTMU6-GFP-C Neo Negative Control Vector

### 1. Catalog #: TMU6-005C

### 2. Application:

This is a negative control vector carrying a shRNA without homology to known human and mouse genes. It can be used as a control of BIOGENOVA™ pTMU6-GFP Neo vector. This control vector has a human U6 promoter to drive the shRNA expression with ampicillin resistant gene ( $Amp^r$ ), functional in *E. coli.*, and the Neomycin resistant gene (Neo), functional in mammalian cells.

### 3. Control shRNA Sequences:



### 4. Storage Condition: -20°C

### 5. Packaging Information: pTMU6-GFP-C Neo control vector ( $Amp^r$ ): 0.5 µg (25ng/µl).

\* For amplify this plasmid, transform competent *E. coli* with Ampicillin selection.

### References:

- Yan, Y., Zhang, J., Guo, J.L., Huang, W., & Yang, Y.Z. (2009) Multiple shRNA-mediated knockdown of TACE reduces the malignancy of HeLa cells. *Cell Biol. Int.* 33, 158-164.
- Xu, X. M., Yoo, M. H., Carlson, B. A. and Hatfield, D. L. (2009) Simultaneous inhibition and subsequent re-expression of multiple genes. *Nature Protocols.* 4(9): 1338 - 1348.
- Gou, D. et al. (2007) A novel approach for the construction of multiple shRNA expression vectors. *J. Gene Med.* 9, 751-763.
- Dafny-Yelin, M., Chung, S.M., Frankman, E.L., & Tzfira, T. (2007) pSAT RNA interference vectors: a modular series for multiple gene down-regulation in plants. *Plant Physiol* 145, 1272-1281.
- ter, B.O., Konstantinova, P., Ceylan, M., & Berkhout, B. (2006) Silencing of HIV-1 with RNA interference: a multiple shRNA approach. *Mol. Ther.* 14, 883-892.
- Wang, S., Shi, Z., Liu, W., Jules, J., & Feng, X. (2006) Development and validation of vectors containing multiple siRNA expression cassettes for maximizing the efficiency of gene silencing. *BMC. Biotechnol.* 6, 50.
- Jazag, A. et al. (2005) Single small-interfering RNA expression vector for silencing multiple transforming growth factor-beta pathway components. *Nucleic Acids Res.* 33, e131.